INFO@USLINCTUSSTORE.COM

USLINCTUS STORE

£0.00 0



Cough syrups

Qualitest Promethazine Codeine Syrup

£150.00 – £250.00

This medicine is a purple syrup. and is manufactured by Par Pharmaceuticals, an Endo Company

473ml 237ml 118ml

1 ADD TO CART

SKU: N/A Category: Cough syrups

Tags: best place to buy qualitest promethazine with codeine online, buy qualitest promethazine online, Buy qualitest promethazine with codeine online, buy qualitest promethazine with codeine online with bitcoins, promethazines for sale, qualitest cough syrups, qualitest promethazine Canada, qualitest promethazine near me, qualitest promethazine UK, qualitest promethazine USA, qualitest promethazine wholesale online, qualitest promethazine with codeine for sale in online, we sale qualitest promethazine online

Guaranteed Safe Checkout

Description Additional information Reviews (0)

Qualitest Promethazine Codeine Syrup

Qualitest Promethazine Codeine Syrup Online, this combination medication is used to treat symptoms caused by the common cold, flu, allergies, or other breathing illnesses (e.g., sinusitis, bronchitis). Promethazine is an ...mine that relieves watery eyes, itchy eyes/nose/throat, runny nose, and sneezing. Codeine is an opioid ...pressant (antitussive) that affects a certain part of the brain, reducing the urge to cough.

Opioid cough suppressants should not be used in children younger than 18 years. Children are at higher risk for serious (even fatal) side effects, especially breathing problems. Talk with the doctor about the risks and benefits of this medication.

Cough-and-cold products do not cure colds. Cough due to a common cold often does not need to be treated with medicine. Ask your doctor or pharmacist about other ways to relieve cough and cold symptoms, such as drinking enough fluids, using a humidifier, or saline nose drops/spray.

How to use qualitest promethazine codeine syrup

Read the Medication Guide provided by your pharmacist before you start taking codeine/promethazine and each time you get a refill. If you have any questions, ask your doctor or pharmacist. Buy qualitest promethazine online

Take this medication by mouth with or without food, usually every 4 to 6 hours as needed with a full glass of water (8 ounces or 240 milliliters) or as directed by your doctor. This medication can be taken with food if stomach upset occurs. Drink plenty of fluids when you use this medication unless otherwise directed by your doctor.

Carefully measure the dose using a special measuring device/spoon. Do not use a household spoon because you may not get the correct dose.

Do not increase your dose or use this product more often or for longer than prescribed. Your condition will not improve any faster, and your risk of side effects will increase.

If you suddenly stop using this medication, you may have withdrawal symptoms (such as restlessness, watering eyes, runny nose, nausea, sweating, muscle aches). To help prevent withdrawal, your doctor may lower your dose slowly. Withdrawal is more likely if you have used this medication for a long time (more than a few weeks) or in high doses. Tell your doctor or pharmacist right away if you have withdrawal. Buy qualitest promethazine cough syrup online

Though it helps many people, this medication has a risk for abuse and may sometimes cause addiction. This risk may be higher if you have a substance use disorder (such as overuse of or addiction to drugs/alcohol). Take this medication exactly as prescribed to lower the risk of addiction. Ask your doctor or pharmacist for more details.

d for an extended time, this medication may not work as well and may require different dosing. Talk
r doctor if this medication stops working well.

Tell your doctor if your cough does not get better in 5 days. Also, tell your doctor if your condition gets worse, or if you have a fever, rash, or persistent headache. These may be symptoms of a serious medical problem and should be checked by a doctor.

Buy Qualitest Promethazine Codeine Online (Side Effects)

Drowsiness, dizziness, headache, lightheadedness, blurred vision, upset stomach, nausea, constipation, or dry mouth may occur. If any of these effects persist or worsen, tell your doctor or pharmacist promptly. Cheap qualitest syrup online sale

This medication can dry up and thicken mucus in your lungs, making it more difficult to breathe and clear your lungs. To help prevent this effect, drink plenty of fluids unless otherwise directed by your doctor.

Remember that your doctor has prescribed this medication because he or she has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. We sale qualitest syrup online

Tell your doctor right away if you have any serious side effects, including: interrupted breathing during sleep (sleep apnea), involuntary behaviors/movements (e.g., fixed upward stare, neck twisting, tongue movements), mental/mood changes (e.g., hallucinations, confusion), ringing in the ears, shaking (tremors), trouble urinating, weakness. Buy qualitest promethazine

Get medical help right away if you have any very serious side effects, including: easy bruising/bleeding, slow [illegible], persistent nausea/vomiting, severe abdominal pain, yellowing eyes/skin, seizure.

Codeine is changed into a strong opioid drug (morphine) in your body. In some people, this change happens faster and more completely than usual, which increases the risk of very serious side effects. Get medical help right away if you notice any of the following: slow/shallow breathing, severe drowsiness/difficulty waking up, confusion.

This medication may rarely cause a very serious condition called neuroleptic malignant syndrome (NMS). Get medical help right away if you have any of the following symptoms: fever, muscle stiffness/pain/tenderness/weakness, severe tiredness, severe confusion, sweating, fast/irregular heartbeat, dark urine, signs of kidney problems (such as change in the amount of urine). Buy qualitest promethazine codeine online

A very serious allergic reaction to this drug is rare. However, get medical help right away if you notice any symptoms of a serious allergic reaction, including: rash, itching/swelling (especially of the face/tongue/throat), severe dizziness, trouble breathing. Qualitest codeine syrup for sale

This is not a complete list of possible side effects. If you notice other side effects not listed above, contact your doctor or pharmacist. Buy qualitest promethazine codeine online

Interactions with Other Drugs

Drug interactions may change how your medications work or increase your risk for serious side effects. This document does not contain all possible drug interactions. Keep a list of all the products you use (including prescription/nonprescription drugs and herbal products) and share it with your doctor and pharmacist. Do not start, stop, or change the dosage of any medicines without your doctor's approval. Buy qualitest promethazine codeine syrup.

Some products that may interact with this drug include antihistamines applied to the skin (such as diphenhydramine cream, ointment, spray), cimetidine, metoclopramide, naltrexone.

The risk of serious side effects (such as slow/shallow breathing, severe drowsiness/dizziness) may be increased if this medication is taken with other products that may also cause drowsiness or breathing problems. Tell your doctor or pharmacist if you are taking other products such as other opioid pain or cough relievers (such as morphine, hydrocodone), alcohol, marijuana (cannabis), drugs for sleep or anxiety (such as alprazolam, lorazepam, zolpidem), muscle relaxants (such as carisoprodol, cyclobenzaprine), or other antihistamines (such as cetirizine, diphenhydramine). Buy qualitest promethazine codeine online

Check the labels on all your medicines (such as allergy or cough-and-cold products) because they may contain ingredients that cause drowsiness. Ask your pharmacist about using those products safely.

Other medications can affect the removal of codeine/promethazine from your body, which may affect how codeine/promethazine works. Examples include azole antifungals (such as ketoconazole), bupropion, fluoxetine, macrolide antibiotics (such as erythromycin), HIV medications (such as ritonavir), paroxetine, quinidine, rifamycins (such as rifabutin, rifampin), certain drugs used to treat seizures (such as carbamazepine, phenytoin), among others.

This medication may interfere with certain laboratory tests (e.g., some pregnancy tests, blood sugar tests, amylase/lipase levels), possibly causing false test results. Make sure laboratory personnel and all your doctors know you use this drug.

Buy qualitest promethazine codeine syrup

If someone has overdosed and has serious symptoms such as passing out or trouble breathing, call 911. Otherwise, call a poison control center right away. US residents can call their local poison control center at 1-800-222-1222. Canada residents can call a provincial poison control center. Symptoms of overdose may include: confusion, cold/clammy skin, fast/slow/irregular heartbeat, slow/shallow breathing, seizures, fainting, coma.

Notes

Do not share this medication with others. Sharing it is against the law. Buy qualitest syrup online

Do not take this medication for several days before allergy testing because test results can be affected.

Missed Dose

If you are prescribed this medication on a regular schedule and miss a dose, take it as soon as you remember. If it is near the time of the next dose, skip the missed dose. Take your next dose at the regular time. Do not double the dose to catch up.

Storage

Store at room temperature away from light and moisture. Do not store in the bathroom. Do not freeze. Keep all medications away from children and pets. Buy qualitest codeine online now

sh medications down the toilet or pour them into a drain unless instructed to do so. Properly discard uct when it is expired or no longer needed. Consult our pharmacist or local waste disposal company

Buy Qualitest Promethazine Codeine Online at Caliexoticpharm

What is the most important information I should know about Codeine and Promethazine (Promethazine with Codeine)?

You should not use this medicine if you are allergic to codeine or promethazine, or if you have:

Codeine and promethazine is for use by anyone younger than 12 years old. *not approved*

Do not give this medicine to anyone younger than 18 years old who recently had surgery to remove the tonsils or adenoids.

If you use opioid medicine while you are pregnant, your baby could become dependent on the drug. This can cause life-threatening withdrawal symptoms in the baby after it is born. Babies born dependent on opioids may need medical treatment for several weeks. Qualitest online sale

Do not breast-feed. Codeine can pass into breast milk and may cause drowsiness, breathing problems, or death in a nursing baby.

- asthma or severe breathing problems;
- a stomach or bowel obstruction (including paralytic ileus);
- narrow-angle glaucoma; or
- if you are unable to urinate.

- lung disease or breathing problems;
- a head injury, brain tumor, or seizure;
- constipation, a bowel obstruction, or stomach problems;
- problems with your bile duct, pancreas, or adrenal gland;
- an enlarged prostate or urination problems;
- uncontrolled muscle spasms;
- a blood cell disorder;
- neuroleptic malignant syndrome (a severe nervous system reaction);
- liver or kidney disease;
- low blood pressure;
- drug addiction; or
- ou have a fever and cough with mucus.

Do not use this medicine if you have used an MAO inhibitor in the past 14 days. A dangerous drug interaction could occur. MAO inhibitors include isocarboxazid, linezolid, methylene blue injection, phenelzine, rasagiline, selegiline, tranylcypromine, and others. Best qualitest syrup sale

Tell your doctor if you have ever had:

What are the side effects of (Promethazine with Codeine)?

Get emergency medical help if you have hives; difficult breathing; swelling of your face, lips, tongue, or throat. *signs of an allergic reaction:*

Stop using this medicine and call your doctor at once if you have:

*Seek medical attention right away if you have symptoms of serotonin syndrome, such as:*agitation, hallucinations, fever, sweating, shivering, fast heart rate, muscle stiffness, twitching, loss of coordination, nausea, vomiting, or diarrhea.

Opioid medicine can slow or stop your breathing, and death may occur. A person caring for you should seek emergency medical attention if you have slow breathing with long pauses, blue colored lips, or if you are hard to wake up.

Common side effects may include:

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

- noisy breathing, sighing, shallow breathing;
- extreme drowsiness, confusion, feeling weak or limp;
- uncontrolled muscle movements in your face, neck, arms, or legs;
- a light-headed feeling, like you might pass out;
- a seizure;
- *adrenal gland problems*–nausea, vomiting, loss of appetite, dizziness, worsening tiredness or weakness; or
- *severe nervous system reaction*–very stiff (rigid) muscles, high fever, sweating, confusion, fast or uneven heartbeats, tremors.

y mouth, nausea, vomiting, constipation;

- confusion, dizziness, headache;
- drowsiness, lack of energy;
- tremors, coordination problems;
- feeling anxious, restless, nervous, or irritable;
- urination problems;
- sweating; or
- shortness of breath.

Related products

Codeine Cough Syrup

Cough syrups

£150.00

☆☆☆☆☆

Actavis Promethazine with codeine syrup

Cough syrups

£300.00

★★★★½

Wockhardt Promethazine

Cough syrups

£300.00

★★★★☆

Copyright © 2024 Uslinctus Store. Powered by Uslinctus Store